

INDUSTRIAL TOUCH MONITORS

SAT 1053 FPH

| Carello | Decumbo | Carello | Care

FEATURES

- ✓ 24/7 Industrial monitor.
- Compact and modern design.
- ✓ 15" screen.
- Capacitive Touchscreen.
- Supports front water splashes.
- ✓ Wide viewing angle.
- ✓ Solution ideal for high traffic.
- ✓ Specifically designed for wall mounting.
- ✓ Flexibility for kiosk assemblies.

DESCRIPTION

SAT POS Solutions designed exclusively to fit your needs. Streamline, optimize, and effectively renew your processes, providing the experience your employees need and your customers desire.

We have designed our **SAT 1053FPH** monitors to provide the perfect combination of elegance, versatility, and reliability for your business (24/7 operation).

The **1053FPH** monitors feature 15-inch Capacitive Touchscreens (4:3) with a resolution of 1024×768 , a screen lifespan of 50,000 hours, and Multi-Touch functionality with 3 points of touch. The edge-to-edge glass design is built to withstand water splashes and is easy to clean. With an IP54 rating, it can handle industrial environments. The monitor also comes with a removable base and supports VESA mounting of 75×75 .



The SAT 1053FPH monitors are designed to provide the ideal compact experience with their 15-inch (4:3) screen size.

The monitors are built with edge-to-edge glass to withstand front water splashes, providing protection against dust.



INDUSTRIES



Restaurants



Logistics







Cinama



Banks





Fashinn

The monitors have an industrial-grade touch screen with 24/7 operation, capacitive technology, a resolution of 1024 x 768, and support for 3-point multitouch. They are designed to withstand 500,000 touches.

Multiple mounting options - Countertop and wall mount. Removable stand for easy installation. Ideal for kiosk implementation.





Flexibilidad de instalación. Ideal para soluciones de punto venta de facturacion POS (Supermercados, Bancos, etc).





SAT 1053FPH










SPFC	FICATIONS	DESCRIPTION
Screen	Screen Size	15" Screen
	Touch Technology	Capacitive Touch
	Number of Touches	3 Touches
	Aspect Ratio	4:3
	Resolution	1024 x 768 px
	Vision Angle	H: 70°/85° V: 70°/85°
	Brightness	300 cd/m²
	Number of Colors	16.9 Million
	Response Time	35ms
	Contrast Relation	900:1
	MTBF	50000 Hours
Interfaces	Touch Interface	2x USB
	HDMI	1x HDMI
	VGA	1x VGA
	Operating Temperature	0°C to 40°C
Environment	Storage Temperature	-25°C to 70°C
Conditions	Humidity	Operation: 20% to 80% Storage: 10% to 90%
	Adaptor	1 x CD2.5
F	Voltage Adaptor	12V/3A
Energy	Power Consumption	15W
	Energy Supply	Adaptor AC - DC
	Operating Voltage Range	AC 100-240Vac, 50/60Hz
Chassis	Sealing	Sealed bezel touch screen
	Color	Dark Grey
	Material	Metal frame base
Dimensions	Device Dimensions	35lmm x 210mm x 315mm / 13.8in x 8.2in x 12.4 in
	Packing Dimensions	540mm x 500mm x 420mm / 21.3in x 19.7in x 16.5 in
	Device Weight	4.5kgs / 9.9lbs
Manustine Dations	Packing Weight	7.5kgs / 16.5lbs
Mounting Options	Anchoring	VESA 75 x 75 mounting
	Warrany Certifications	2 years warranty CCC. CE .FCC. CB
	Certifications	եեե, ե է ,Ինե, են



DIMENSIONS:



OTHER INDUSTRIAL MONITORS



SAT 2013FPH



SAT 3023FPH

ADDITIONAL ACCESORIES:



Mini PC: SAT Z4125

Processor	J4125
Memory	RAM 4GB
Storage	128GB SSD



Mini PC: Sat pl5000C

Processor	CI5
Memory	RAM 8GB
Storage	128GB SSD



Mini PC: Sat Pl7000

Processor	CI5
Memory	RAM 8GB
Storage	128GB SSD