# **FTS-01** Fiber Optic flat cable Stripper

Make It Easy





- Suitable for 3.0, 2.0mm butterfly drop cable
- SUS420 stainless steel blade, solid and durable cutting edge
- Adjustable blade height

- Using one-time forming die-cast aluminum, high-strength structure
- Anti-slip design of rubber sheath, clear scale mark
- No damage to fiber, continuous fiber, no residue



#### Aluminum die-casting

Using one-time forming die-cast aluminum, High-strength structure

### Rubber sheath

Designed with rubber non–slip sheath, Increase friction, comfortable grip

### Scale ruler

The scale is clear, and the stripping length can be measured quickly. Accurate opening, no waste of materials









Put the leather thread in the jaws,Use the ruler to determine the length to be cut.



Press the handle and pull back, Easily strip the optical fiber.

## Product parameter

Name	Drop fiber stripper
Model	FTS-01
Applicable fiber type	3.0x2.0mm butterfly drop cable
Blade life	60000 times ★ ①
Positioning ruler	Accurately locate the cutting length
Product Size	126*56.5*26.5mm
Product weight	128g

★ ① Blade life changes due to operating environment

### HEAD OFFICE: TAWAA TOOLS LIMITED

## CONTACT US:

### Headquarters address:

China (Jiangsu) Pilot Free Trade Zone Suzhou Area Room 1703, Shanglv Building, No.381 East of Suzhou Avenue, Industrial Park.

### Factory address:

B Building Zhongzhi Science and Technology Park, No.95 Xingangwan Road, Liuhe Economic Development Zone, Nanjing, Jiangsu, China.

Phone : 0512-87811849

Website : www.tawaa.com

Email : info@tawaa.com

