

TBL-23N

Optical Fiber Cleaver Blade




Make It Easy



48000
Cleaves



Tungsten steel
material



$\leq 0.5^\circ$ Cleave
angle



24 Cutting
points




Characteristics

- Rotatable 24 cutting points, per point reaches 2000 cleaves
- Cleave angle $\leq 0.5^\circ$, smooth cutting surface
- Durable, up to 48000 cleaves
- Tungsten steel refining and processing, high hardness

Tungsten steel blade

Patented groove design



Featured material



Sharp blade



Durable

Product Specification

Model	JBL-23
Rotatable cutting point	24
Blade specification	Diameter 22*4*3.2mm
Blade material	Tungsten steel
D (g/cm ³)	14.75
Blade hardness	91.50HRA
TRS (MPa)	2200
Cutting life (single point)	2000 ★①

★① Blade life changes by operating environment

Product Display



HEAD OFFICE:

TAWAA TOOLS LIMITED

CONTACT US:

Headquarters address:

China (Jiangsu) Pilot Free Trade Zone Suzhou Area Room 1703,
Shanglv Building, No.381 East of Suzhou Avenue, Industrial Park.

Factory address:

B Building Zhongzhi Science and Technology Park, No.95 Xingangwan
Road, Liuhe Economic Development Zone, Nanjing, Jiangsu, China.

Phone : 0512-87811849

Website : www.tawaa.com

Email : info@tawaa.com



Website